

SPECIFICATIONS

HYBRID MODEL | 2ROW | 2WD

Engine	
Code	MR20DD
Type	MR 20DD 2.0 litre DOHC, 16 Valve Dual Continuous Valve Timing Control System (Dual CVT CS)
Displacement cc	1997
Bore x stroke mm	84.0 x 90.1
Max. power kW (PS)/rpm	106 (144) / 6000
Max. torque Nm (kg-m)/rpm	200 (20.4) / 4400
Compression ratio	11.2
Fuel system	Direct injection
Motor	
Code	RM31
Type	AC synchronous motor
Max. power kW (PS)	30 (40.8)
Max. torque Nm (kg-m)	160 (16.3)
Drive battery	Lithium-ion battery
Transmission	
Type	Xtronic CVT
Steering/Suspension/Brakes	
Steering	Power-assisted rack-and-pinion steering
Min. turning radius (curb to curb) m	5.6
Suspension	
front	Independent strut
rear	Independent multi-link
Brakes	
front	Ventilated discs
rear	Discs
Wheels/Tires	
Wheels	18 x 70J alloy
Tyres	225/65R17
Dimensions/Weight	
Overall length mm	4640
Overall width mm	1820
Overall height mm	1710
Wheelbase mm	2705
Tread front/rear mm	1575/1575
Min. ground clearance mm	210
Curb weight kg	1538
Gross vehicle weight kg	2105
Capacities	
Seating persons	5
Fuel tank L	60

To know more, visit www.nissan.in

Follow us at:



Nissan Motor India Private Limited, reserves the right to make any changes without notice concerning colours, equipment or specifications detailed in this brochure, or to discontinue individual models. The colours are subject to availability and may not be available across all variants and may differ slightly from those in this brochure. Accessories shown are not part of standard fitment and subject to availability. Terms and conditions apply.



X-TRAIL HYBRID






X-TRAIL HYBRID

Introducing the all new X-Trail with a hybrid engine. This hybrid offers much more than excellent fuel efficiency over long distances. Its robust motor delivers superior power with smooth acceleration and durability in extreme road conditions. The X-Trail achieves a higher level of driving performance as well as environmental sustainability.

HYBRID TECHNOLOGY

Integrates the whole of Nissan technology within the hybrid system and power train.



Pictures are used as sample images.


HYBRID SYSTEM DRIVING

The system automatically selects the electric motor or the engine for best power or most efficient driving.



*¹ The engine starts when the battery is low.
 *² The engine starts when the battery is low or stepping strongly on the accelerator.
 *³ When releasing accelerator in high-speed driving.
 *⁴ The engine is automatically used as required, such as when the battery is low.

TOTAL CONTROL. COMPLETE CONFIDENCE.





CRUISE IN STYLE AND COMFORT

No matter what terrain you ride on, X-TRAIL's genuine leather seats and wide, spacious interior make you feel at ease like no other car. The premium touches let you savour a sense of luxury and refinement, making every ride a special occasion.

AROUND VIEW MONITOR

Using four cameras, the monitor displays a bird's eye view of the vehicle, helping you visually confirm its front, rear and curbside views.



GLIDE AND SWING WIDE

Power liftgate and rear wide opening doors. X-TRAIL Hybrid gives you easy access with rear doors that swing out nearly 80° and a liftgate that opens at the tap of a button. The liftgate can also be opened with a hands-free function by simply waving your hand at the sensor with the intelligent key. You can adjust the opening angle of the liftgate when parking in a low-ceilinged garage.



AUTO TAIL GATE



NEW FOG LAMP



NEW SIDE SKIRT



NEW FRONT BUMPER PANEL



NEW REAR BUMPER PANEL



FLORAL WHITE

DIMENSIONS

- A: Overall length: 4640 mm
- B: Wheelbase: 2705 mm
- C: Overall width: 1820 mm
- D: Overall height: 1710 mm

